



 **AC DIRECT** >>
Online Store

Samsung Electronics

CAC(R32) Product



Indoor Units

01. 360 Cassette



01

Cold-draft Free

Comfortable Airflow, Free from Cold-draft



02

Fast Cooling


Improved Cooling Speed by **25%**



03

Perfect Even Cooling

Circular Air Wave Ideally Controls Room Air Temperature



04

Functionality meets Design

Superior Design and Various Applications



Specification

■ 360 CST

Model		IN	AC071RN4PKG/EU	AC100RN4PKG/EU	AC100RN4PKG/EU	AC120RN4PKG/EU	AC120RN4PKG/EU	AC140RN4PKG/EU	AC140RN4PKG/EU
		OUT	AC071RXADKG/EU	AC100RXADKG/EU	AC100RXADNG/EU	AC120RXADKG/EU	AC120RXADNG/EU	AC140RXADKG/EU	AC140RXADNG/EU
Power Supply	Φ, V, Hz		1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz	1Φ, 220~240V/50Hz
Capacity (Nominal)	Cooling	W	7100	10000	10000	12000	12000	13400	13400
	Heating	W	8000	11200	11200	13200	13200	15500	15500
Power Input (Nominal)	Cooling	W	2730	3240	3200	4450	4450	4760	4680
	Heating	W	2480	3200	3150	4050	4050	4620	4540
Seasonal Efficiency	SEER	-	6.7	6.8	6.8	6	6	6.4	6.4
	SCOP	-	4.2	4.3	4.3	4	4	4.1	4.1
	Grade	-	A++/A+	A++/A+	A++/A+	A+/A+	A+/A+	A++/A+	-/-
Current Input	Cooling	A	11.8	14.4	5.1	19.5	6.9	20.6	7.3
	Heating		10.7	14.2	5	17.7	6.3	20	7.1
Air Flow Rate (H/M/L)	Cooling	CMM	17.5/15.9/14.3	31.2/25.5/19.8	31.2/25.5/19.8	32.5/25.5/19.8	32.5/25.5/19.8	32.4/27.1/22.8	32.4/27.1/22.8
	Heating		17.5/15.9/14.3	31.2/25.5/19.8	31.2/25.5/19.8	32.5/25.5/19.8	32.5/25.5/19.8	32.4/27.1/22.8	32.4/27.1/22.8
Outdoor	Airflow	CMM	51	72	72	72	72	110	110
Piping Diameter	Liquid	mm	6.35	9.52	9.52	9.52	9.52	9.52	9.52
	Gas		15.88	15.88	15.88	15.88	15.88	15.88	15.88
Sound Power	Indoor	dBA	53	61	61	61	61	61	61
	Outdoor		65	69	69	70	70	69	69
Weight(Indoor)	Gross	kg	24.5	28.3	28.3	28.3	28.3	30.3	30.3
	Net		20.2	23.5	23.5	23.5	23.5	25.5	25.5
Weight(Outdoor)	Gross	kg	55	78.5	78.5	85	85	99	99
	Net		51	73.5	73.5	80	80	90.5	90.5
Dimension(Indoor) (W*D*H)	Gross	mm	990 x 330 x 990	990 x 414 x 990	990 x 414 x 990	990 x 414 x 990	990 x 414 x 990	990 x 414 x 990	990 x 414 x 990
	Net		947 x 281 x 947	947 x 365 x 947	947 x 365 x 947	947 x 365 x 947	947 x 365 x 947	947 x 365 x 947	947 x 365 x 947
Dimension(Outdoor) (W*D*H)	Gross	mm	1023 x 896 x 413	995 x 1096 x 426	995 x 1096 x 426	995 x 1096 x 426	995 x 1096 x 426	995 x 1388 x 426	995 x 1388 x 426
	Net		880 x 798 x 310	940 x 998 x 330	940 x 998 x 330	940 x 998 x 330	940 x 998 x 330	940 x 1210 x 330	940 x 1210 x 330