



**SnoMaster**<sup>®</sup>

**12V PRODUCT BROCHURE**



# PORTABLE FRIDGE / FREEZERS

## PORTABLE FRIDGE / FREEZERS

The Expedition Series of camping Fridge/Freezers by SnoMaster® is specifically designed for camping and off-roading enthusiasts. This series offers users innovative features and best-in-class cooling performance at extreme temperatures. The outer shell, interior and all fittings are made tough to handle the extremes in Africa and to ensure a long product life. The powerful SnoMaster® compressor guarantees the best cooling performance and comes with a 7-year warranty.

Available in single or dual compartments, you can set your Portable Fridge/ Freezer as low as -22° Celsius. Models come with metal insert baskets, a protective cover, a bottle opener and remote control included and they can be operated with 12 and 24 Volt DC and 100 to 240 Volt AC. To protect frozen food in particular from thawing, all portable fridge/ freezers come with a transit bag. The strength of the polyurethane insulation is one of the distinctive feature of this series.



1-YEAR WARRANTY  
ON PARTS NOT LISTED

## FEATURES:

- ✓ 3 Speed Setting – High, Auto & Low SnoMaster® Compressor
- ✓ Interchangeable Temperature Controller Low Voltage Cut Out Setting (10, 10.7, 11.8V)
- ✓ Corner Feet with Mounting Hole
- ✓ Secure Input & Output Plugs
- ✓ Internal LED Light
- ✓ Removable Lid
- ✓ Lid Open Alarm
- ✓ Stainless Steel Hinges, Locks and Handles
- ✓ Baskets Included
- ✓ Bottle Opener Included
- ✓ Solar Powered Remote Control Included
- ✓ Transit Bag Included
- ✓ Refrigerant: 134a
- ✓ Foaming Agent: Cyclopentane

**\*PLEASE NOTE:** All Dimensions Exclude Travel Bag.



## SMDZ-CL40

40L SINGLE COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

Packed with removable baskets, protective covers, a solar-powered remote control, and a bottle opener that all fit inside a handy transit bag, this Fridge/Freezer combo includes all accessories for you to go on a quick weekend getaway or an extended vacation.

### FEATURES: Single Compartment

Dimensions (mm) Unit: **(H) 520 (W) 625 (D) 460**

Storage Volume: **40L**

Temp Range: **-22°C to 10°C**

Net Weight: **24Kg**

Voltage AC: **220 – 240V / 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 575 (W) 670 (D) 490**

Rated Current AC/DC: **0.42A**

Compressor: **45W**

Polyurethane Insulation: **60mm**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**

## SMDZ-TR42

42L SINGLE COMPARTMENT  
POWDER COATED FRIDGE/FREEZER

Take this 42L powder coated fridge/freezer with you anywhere. A budget-friendly and compact option for those with limited space, specifically designed to withstand dust, dirt and vibrations.



### FEATURES: Single Compartment

Dimensions (mm) Unit: **(H) 520 (W) 365 (D) 680**

Storage Volume: **42L**

Temp Range: **-22°C to 10°C**

Net Weight: **23.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Voltage Cut out pre-set: **10.8A**

Dimensions (mm) Packaged: **(H) 560 (W) 425 (D) 710**

Rated Current AC/DC: **0.42A**

Compressor: **45W**

Polyurethane Insulation: **50mm**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**



## SMDZ-TR42SS

42L SINGLE COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

This stainless steel fridge/freezer is the perfect choice for the outdoor adventurer with space limitations. With its super-efficient cooling/freezing options, the TR42SS is the perfect fit for your on-the-road requirements.

### FEATURES: Single Compartment

Dimensions (mm) Unit: **(H) 520 (W) 365 (D) 680**

Storage Volume: **42L**

Temp Range: **-22°C to 10°C**

Net Weight: **23.5Kg**

Voltage AC: **12V/24V**

Voltage DC: **12V/24V**

Voltage Cut out pre-set: **10.8A**

Dimensions (mm) Packaged: **(H) 560 (W) 425 (D) 710**

Rated Current AC/DC: **0.42A**

Compressor: **45W**

Polyurethane Insulation: **50mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-TR42D

42L DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

This dual compartment stainless steel fridge/freezer is the ideal companion for any adventure, allowing you to keep your food frozen in one compartment and your favourite drinks and fresh produce chilled in the other. The compact size makes it the perfect companion if you have space limitations.



### FEATURES: Dual Compartment

Dimensions (mm) Unit: **(H) 520 (W) 365 (D) 680**

Storage Volume: **42L**

Temp Range: **-22°C to 10°C**

Net Weight: **23.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 560 (W) 425 (D) 710**

Rated Current AC/DC: **0.42A**

Compressor: **45W**

Polyurethane Insulation: **50mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-CL56D

56L DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

This model is capable of storing up to 60L of food and beverages. It includes a solar-powered remote controller and low-voltage cut-out settings that automatically disconnect the cooler when your battery level is low. This fridge/freezer ensures that you won't have to cut another vacation short to restock, recharge, or refuel.

**FEATURES: Dual Compartment**

Dimensions (mm) Unit: **(H) 515 (W) 755 (D) 500**

Storage Volume: **Left: 26L, Right: 30L**

Temp Range: **-22°C to 10°C**

Net Weight: **28Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 575 (W) 770 (D) 515**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-CL60

60L SINGLE COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

Capable of storing up to 60L of food and beverages and including a solar-powered remote controller as well as low-voltage cut-out settings that automatically disconnect the cooler when your battery level is low. This fridge/freezer ensures that you won't have to cut another vacation short to restock, recharge, or refuel.

**FEATURES: Single Compartment**

Dimensions (mm) Unit: **(H) 515 (W) 755 (D) 495**

Storage Volume: **60L**

Temp Range: **-22°C to 10°C**

Net Weight: **26Kg**

Voltage AC: **220 – 240V / 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 575 (W) 770 (D) 515**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-LP65

65L LOW PROFILE SINGLE COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

This low-profile fridge/freezer can fit perfectly under your tourney covers. It has corner feet with mounting holes that allow for front or side mounting. It also comes with a transit bag with enough room for your cooler and all the included accessories, plus a solar-powered remote controller that ensures you have control over your fridge/freezer.

**FEATURES: Low Profile | Single Compartment**

Dimensions (mm) Unit: **(H) 450 (W) 770 (D) 580**

Storage Volume: **65L**

Temp Range: **-22°C to 10°C**

Net Weight: **31.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 510 (W) 780 (D) 580**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**

## SMDZ-LP66D

66L LOW PROFILE DUAL COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

Savour the freedom of the outdoors without giving up the comforts of home. With dual compartments that can be used as a fridge and freezer combo or as dual fridges or dual freezers, stocking up on your favourite food and drinks for extended vacations is effortless, and the best thing about it is, this fridge/freezer fits right under your tourney cover.



**FEATURES: Low Profile | Dual Compartment**

Dimensions (mm) Unit: **(H) 470 (W) 845 (D) 520**

Storage Volume: **Left: 32.5L, Right: 33.5L**

Temp Range: **-22°C to 10°C**

Net Weight: **28Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 515 (W) 865 (D) 540**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**



## SMDZ-EX67D

66L DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

When outdoor adventure calls, choose this dual compartment stainless steel fridge/freezer to keep your drinks cool and food fresh. With this fridge/freezer in hand you have the flexibility to decide how you want to use it as a dual fridge, dual freezer or as a fridge/freezer combo, the choice is yours!

**FEATURES: Dual Compartment**

Dimensions (mm) Unit: **(H) 530 (W) 840 (D) 520**

Storage Volume: **Left: 30L, Right: 36L**

Temp Range: **-22°C to 10°C**

Net Weight: **32Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 580 (W) 865 (D) 540**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **70mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-CL72D

72L DUAL COMPARTMENT  
STAINLESS STEEL FRIDGE/FREEZER

Enjoy the outdoors and let this dual compartment fridge/freezer take care of your drinks and food. Whether you want to use it as a dual fridge, a dual freezer or even a fridge/freezer combo the choice is up to you, because the temperature on each compartment can be adjusted separately.



**FEATURES: Dual Compartment**

Dimensions (mm) Unit: **(H) 600 (W) 755 (D) 505**

Storage Volume: **Left: 32L, Right: 40L**

Temp Range: **-22°C to 10°C**

Net Weight: **31.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 655 (W) 770 (D) 515**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-EX75

### 75L SINGLE COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

For extended vacations, this 75L single compartment fridge/freezer offers you ample space to stock up and take the road less travelled, whether you want to keep your food and beverages cool or food frozen, the choice is yours.

**FEATURES: Single Compartment**

Dimensions (mm) Unit: **(H) 600 (W) 755 (D) 505**

Storage Volume: **Left: 32L, Right: 40L**

Temp Range: **-22°C to 10°C**

Net Weight: **31.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 655 (W) 770 (D) 515**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **70mm**

Design Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-CL80

### 80L SINGLE COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

When adventure calls, take this high-performance fridge/freezer with you. It's designed to work effectively in almost any environment and can be easily charged through the lighter socket or the DIN standard socket of a car, truck and AC.

**FEATURES: Single Compartment**



Dimensions (mm) Unit: **(H) 600 (W) 755 (D) 505**

Storage Volume: **80L**

Temp Range: **-22°C to 10°C**

Net Weight: **30Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 655 (W) 770 (D) 515**

Rated Current AC/DC: **0.52A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-TR82D

### 81.5L DUAL COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

When outdoor adventure calls, choose this dual compartment stainless steel fridge/freezer to keep your drinks cool and food fresh. With this fridge/freezer in hand you have the flexibility to decide how you want to use it as a dual fridge, dual freezer or as a fridge/freezer combo, the choice is yours!

#### FEATURES: Dual Compartment

Dimensions (mm) Unit: **(H) 535 (W) 840 (D) 520**

Storage Volume: **Left: 39L, Right: 42.5L**

Temp Range: **-22°C to 10°C**

Net Weight: **35Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 580 (W) 865 (D) 540**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **60mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-EX85D

### 85L DUAL COMPARTMENT STAINLESS STEEL FRIDGE/FREEZER

When outdoor adventure calls, this 85L Portable Fridge/Freezer comes with everything you will need with no optional extras necessary. Choose this dual compartment stainless steel fridge/freezer to keep your drinks cool and food fresh. With this fridge/freezer in hand you have the flexibility to decide how you want to use it as a dual fridge, dual freezer or as a fridge/freezer combo, the choice is yours!



#### FEATURES: Dual Compartment

Dimensions (mm) Unit: **(H) 635 (W) 840 (D) 520**

Storage Volume: **Left: 37L, Right: 48L**

Temp Range: **-22°C to 10°C**

Net Weight: **35Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 675 (W) 865 (D) 540**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **70mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-LP96D

92.5L LOW PROFILE DUAL  
COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER

This dual-compartment stainless steel fridge/freezer is built with durability and flexibility in mind and can make for the ideal camping fridge or freezer. It's part of our Low Profile lineup and is a great portable fridge when you are travelling in the great outdoors.

**FEATURES: Low Profile | Dual Compartment**

Dimensions (mm) Unit: **(H) 465 (W) 990 (D) 575**

Storage Volume: **Left: 41L, Right: 51.5L**

Temp Range: **-22°C to 10°C**

Net Weight: **39.5Kg**

Voltage AC: **230V/50Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 530 (W) 1015 (D) 600**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **70mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-EX95

95L SINGLE COMPARTMENT STAINLESS  
STEEL FRIDGE/FREEZER

Enjoy breathtaking views and an ice-cold beer in no time with this stainless steel fridge/freezer. It comes with 3-speed settings meaning that you can cool your drinks quickly. You also have the option to let the fridge/freezer run in the background while you're cooking or gearing up for your next adventure.

**FEATURES: Single Compartment**



Dimensions (mm) Unit: **(H) 840 (W) 825 (D) 510**

Storage Volume: **95L**

Temp Range: **-22°C to 10°C**

Net Weight: **32.5Kg**

Voltage AC: **220-240V 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 910 (W) 870 (D) 550**

Rated Current AC/DC: **0.55A**

Compressor: **70W**

Polyurethane Insulation: **70mm**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



# PORTABLE FRIDGE / FREEZERS

## **PORTABLE FRIDGE / FREEZERS**

The SnoMaster® Leisure Series of Portable Fridge/Freezers are compact and high-performance coolers for use in the vehicle cabin or boot. They are ideal for daily use, short trips, camping, picnics, braais or even shopping.

The plastic housing and reduced wall thickness (40mm), make these units lighter and more portable than other fridge/freezer models. The 12L model is compact enough to easily fit in the vehicle cabin or fitted between the seats of the 79 Series Land Cruiser.

All Leisure Series models are equipped with the same reliable technology you expect from our products and a powerful SnoMaster® compressor.

### **FEATURES:**

- ✓ Digital Temperature Control
- ✓ Durable Plastic
- ✓ Internal Power Supply for AC & DC
- ✓ Light Weight
- ✓ Low Voltage Cut Out Setting (10, 11.8V)
- ✓ Interior Light
- ✓ Internal Baskets Included



1-YEAR WARRANTY  
ON PARTS NOT LISTED



## SMDZ-LS12

### 12L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER

This compact fridge/freezer is ideal for in-cabin storage and fits neatly behind or in-between the seats of certain vehicle makes, which makes it the ideal solution for the road. Salesmen, delivery vehicles, truck drivers or security guards looking for a space-saving solution will find the SMDZ-LS12 an ideal solution for everyday use.

**FEATURES:** 1 Speed Setting 12V Only | 3 Minute Startup Delay | On/Off Operational Switch | Supplied with Mounting Bracket and Straps | USB Port

Dimensions (mm) Unit: **(H) 390 (W) 195 (D) 505**

Storage Volume: **12L**

Temp Range: **-12°C to 10°C**

Net Weight: **8.5Kg**

Cut Out Voltage: **10.5A**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 450 (W) 260 (D) 550**

Rated Current AC/DC: **2.5A / 1.25A**

Compressor: **45W**

Insulation: **Polyurethane**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**

## SMDZ-LS28

### 21L TRAVEL BUDDY FRIDGE/FREEZER

If you spend a lot of time on the road for work on a daily basis then the Travel Buddy is the perfect choice for you. It's ideal for daily in-vehicle use, helping you to keep your drinks cool and your food fresh.

**FEATURES:** 12V Only | Can/Bottle Divider | Smart Touch Screen with High Speed / Low Speed | Interior LED Light with Lid Open Alarm | White Plastic Cabinet With Blue Trim



Dimensions (mm) Unit: **(H) 300 (W) 610 (D) 320**

Storage Volume: **21L**

Temp Range: **-22°C to 10°C**

Net Weight: **12Kg**

Cut Out Voltage: **10.5A**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 370 (W) 655 (D) 360**

Rated Current AC/DC: **3.5A / 1.76A**

Compressor: **45W**

Insulation: **Polyurethane**

Design  
Criteria: **Operates Optimally in Ambient  
Temperatures Up To 43°C**



## SMDZ-LS21

21L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER WITH **HEATING FUNCTION**

The all new portable 21L Portable Fridge/Freezer with heating function is the perfect companion for daily in-vehicle use. The revolutionary and versatile unit enables you to cool your beverages, keep frozen foods at temperature or keep your food warm while travelling.



**FEATURES:** Heating Function (60°C) | 12V Only | Bluetooth Application For Temperature Control | Self Closing Door | Can/Bottle Divider | Smart Touch Screen with High Speed/ Low Speed | Retractable Magnetic Handles | Interior LED Light with Lid Open Alarm | Matt Black Plastic Cabinet

Dimensions (mm) Unit:	<b>(H) 320 (W) 610 (D) 297</b>
Storage Volume:	<b>21L</b>
Temp Range:	<b>-22°C to 60°C</b>
Net Weight:	<b>13Kg</b>
Cut Out Voltage:	<b>10.5A</b>
Voltage DC:	<b>12V/24V</b>

Dimensions (mm) Packaged:	<b>(H) 370 (W) 655 (D) 360</b>
Rated Current AC/DC:	<b>2.5A / 1.76A</b>
Compressor:	<b>45W</b>
Insulation:	<b>Polyurethane</b>
Design Criteria:	<b>Operates Optimally in Ambient Temperatures Up To 43°C</b>

## SMDZ-LS35

35L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER

This compact fridge/freezer is ideal for in-cabin storage making it the perfect companion on the open road for salesmen, delivery vehicles, truck drivers or security guards, looking for a space saving solution for everyday use.



**FEATURES:** 1 Speed Setting | 3 Minute Startup Delay | On/Off Operational Switch | USB Port

Dimensions (mm) Unit:	<b>(H) 415 (W) 355 (D) 640</b>
Storage Volume:	<b>35L</b>
Temp Range:	<b>-22°C to 10°C</b>
Net Weight:	<b>17Kg</b>
Cut Out Voltage:	<b>10.5A</b>
Voltage DC:	<b>12V/24V</b>

Dimensions (mm) Packaged:	<b>(H) 425 (W) 365 (D) 640</b>
Rated Current AC/DC:	<b>0.34A</b>
Compressor:	<b>45W</b>
Insulation:	<b>Polyurethane</b>
Design Criteria:	<b>Operates Optimally in Ambient Temperatures Up To 43°C</b>



## SMDZ-LS40D

45L SINGLE COMPARTMENT  
PORTABLE FRIDGE/FREEZER

Ideal for daily in-vehicle use for short trips to work or to the shops as well as for long-distance travel. It's a great portable and compact cooler for camping, picnics, braais or going to the beach. This handy and portable fridge/freezer is everything you need in an everyday travel companion.

**FEATURES:** 2 Speed - Max & Eco Settings | Internal Fridge Light | Detachable Wheels | Digital Temperature Control | Durable & Improved Handles | 12V Unit With External 220V Power Supply

Dimensions (mm) Unit: **(H) 450 (W) 720 (D) 415**

Storage Volume: **45L**

Temp Range: **-18°C to 10°C**

Net Weight: **18Kg**

Voltage AC: **100-240V 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 530 (W) 745 (D) 465**

Rated Current AC/DC: **4.6A / 2.3A**

Compressor: **55W**

Shell Material: **Polyurethane**

Insulation: **Cyclopentane**

Design: **Operates Optimally in Ambient**

Criteria: **Temperatures Up To 43°C**

## SMDZ-LS50

50L SINGLE COMPARTMENT  
PORTABLE FRIDGE/FREEZER

The adventure never stops when you have this light-weight and compact portable fridge/freezer with you. Choose this energy efficient fridge/freezer to enhance your next beach or braai day experience.

**FEATURES:** 2 Speed Setting - Max & Eco Settings | Blue Interior Fridge Light | Digital Temperature Control | Durable & Improved Handles | Internal Power Supply for AC & DC



Dimensions (mm) Unit: **(H) 520 (W) 350 (D) 660**

Storage Volume: **50L**

Temp Range: **-18°C to 10°C**

Net Weight: **21Kg**

Voltage AC: **100-240V 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 585 (W) 375 (D) 615**

Rated Current AC/DC: **4.5A / 2.2A**

Compressor: **55W**

Insulation: **Cyclopentane**

Design: **Operates Optimally in Ambient**

Criteria: **Temperatures Up To 43°C**



## SMDZ-LS50A

50L SINGLE COMPARTMENT  
PORTABLE FRIDGE/FREEZER

Keep your drinks cool and your meat fresh with this single compartment portable fridge freezer, ideal for daily in-vehicle use as well as for long-distance travel. It's the perfect choice for your camping, picnics, braais or beach trips. This handy and portable fridge/freezer is everything you need in an everyday travel companion.

**FEATURES:** 1 Speed Setting | White Internal LED Light With Lid Open Alarm | Reversible Lid | 12V Unit With External 220V Supply

Dimensions (mm) Unit: **(H) 420 (W) 690 (D) 480**

Storage Volume: **50L**

Temp Range: **-18°C to 10°C**

Net Weight: **16.5Kg**

Voltage AC: **100-240V 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 490 (W) 740 (D) 550**

Rated Current AC/DC: **7.0A / 3.5A**

Compressor: **55W**

Shell Material: **Polyurethane**

Insulation: **Cyclopentane**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**



## SMDZ-LS55

55L DUAL COMPARTMENT **SIGNATURE**  
SERIES PORTABLE FRIDGE/FREEZER

To celebrate 20-years of SnoMaster's quality and reliability, we introduce the all new 55L Limited Edition Signature Series Portable fridge/freezer. With its refined, sleek look, featuring durable red leather cladding and dual fridge/freezer compartments, venture anywhere in style while keeping your beverages cool and food fresh or meat frozen.

**FEATURES:** Dual Compartment | Durable Leather Cladding | 2 Speed - Max & Eco Settings | Internal Power Supply For AC & DC | Limited Edition

Dimensions (mm) Unit: **(H) 570 (W) 620 (D) 400**

Storage Volume: **Left: 17L, Right: 38L**

Temp Range: **-18°C to 10°C**

Net Weight: **20.6Kg**

Voltage AC: **100-240V 50/60Hz**

Voltage DC: **12V/24V**

Dimensions (mm) Packaged: **(H) 600 (W) 650 (D) 420**

Rated Current AC/DC: **7.0A / 3.5A**

Compressor: **55W**

Insulation: **Cyclopentane**

Design Criteria: **Operates Optimally in Ambient Temperatures Up To 43°C**

## SMDZ-LS60

### 57L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER

Take in the scenery and let this portable fridge/freezer keep your drinks cool and your food fresh. With its lightweight, compact and energy-efficient design, it can easily fit into the boot or on the back seat of most vehicles. It's the ideal portable cooler for those long days at the beach, braais or even a game drive.



**FEATURES:** 2 Speed - Max & Eco Settings | Reversible Lid | Internal Power Supply For AC & DC

Dimensions (mm) Unit:	<b>(H) 535 (W) 740 (D) 425</b>
Storage Volume:	<b>57L</b>
Temp Range:	<b>-18°C to 10°C</b>
Net Weight:	<b>19.5Kg</b>
Voltage AC:	<b>100-240V 50/60Hz</b>
Voltage DC:	<b>12V/24V</b>

Dimensions (mm) Packaged:	<b>(H) 625 (W) 750 (D) 510</b>
Rated Current AC/DC:	<b>4.6A / 2.3A</b>
Compressor:	<b>55W</b>
Insulation:	<b>Cyclopentane</b>
Design Criteria:	<b>Operates Optimally in Ambient Temperatures Up To 43°C</b>

## SMDZ-LS60D

### 60L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER

This 60L is an excellent travel companion and the ideal portable fridge/freezer for days at the beach, braai or on a game drive. It's lightweight, compact and energy-efficient, so it'll easily fit into the boot or on the back seat of most vehicles.



**FEATURES:** 2 Speed - Max & Eco Settings | White Internal Fridge Light | Detachable Wheels | Digital Temperature Control | Durable & Improved Handles | 12V Unit With External 220V Power Supply

Dimensions (mm) Unit:	<b>(H) 534 (W) 710 (D) 414</b>
Storage Volume:	<b>60L</b>
Temp Range:	<b>-18°C to 10°C</b>
Net Weight:	<b>19.8Kg</b>
Voltage AC:	<b>100-240V 50/60Hz</b>
Voltage DC:	<b>12V/24V</b>

Dimensions (mm) Packaged:	<b>(H) 620 (W) 745 (D) 465</b>
Rated Current AC/DC:	<b>4.6A / 2.3A</b>
Compressor:	<b>55W</b>
Shell Material:	<b>Polyurethane</b>
Insulation:	<b>Cyclopentane</b>
Design Criteria:	<b>Operates Optimally in Ambient Temperatures Up To 43°C</b>



## SMDZ-CL65

### 65L SINGLE COMPARTMENT PORTABLE FRIDGE/FREEZER

Bring the comforts of home on the road with you with this 65L portable fridge/freezer. Whether you are planning a day trip to the beach or a long weekend away, this handy and portable fridge/freezer easily fits onto the back seat or boot of most vehicles and will cater for the whole family.

**FEATURES:** 1 Speed Setting | White Internal LED Light With Lid Open Alarm | Reversible Lid | 12V Unit With External 220V Power Supply



Dimensions (mm) Unit:	<b>(H) 505 (W) 690 (D) 480</b>
Storage Volume:	<b>65L</b>
Temp Range:	<b>-18°C to 10°C</b>
Net Weight:	<b>19.5Kg</b>
Voltage AC:	<b>100-240V 50/60Hz</b>
Voltage DC:	<b>12V/24V</b>

Dimensions (mm) Packaged:	<b>(H) 570 (W) 260 (D) 550</b>
Rated Current AC/DC:	<b>7.0A / 3.5A</b>
Compressor:	<b>55W</b>
Shell Material:	<b>Polyurethane</b>
Insulation:	<b>Cyclopentane</b>
Design Criteria:	<b>Operates Optimally in Ambient Temperatures Up To 43°C</b>

# CAMPING & OUTDOOR SOLAR PANELS

## **SOLAR PANELS**

The SnoMaster® Solar Panel Kit contains everything you need to harness the power of the sun and recharge your batteries in a handy kit. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the power flowing.

High-quality components offer long term durability for dependable operation in the harshest conditions. The included smart regulator helps to avoid under or overcharging, overheating, reversing polarity, and/or discharging your battery unnecessarily.

### **FEATURES:**

- ✓ *Compact Folding Solar Panel Solution*
- ✓ *Lightweight*
- ✓ *Micro Control Unit: Pulse Width Modulation*
- ✓ *Weatherproof*



## SP-120

125W  
SOLAR PANEL

The SnoMaster® 125W Solar Panel Kit contains everything you need to harness the power of the sun and recharge your batteries. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the power flowing.

**FEATURES:** Polyester Carry Case

Folded (mm):	<b>(H) 80 (W) 395 (L) 368</b>
Net Weight:	<b>5.3Kg (Incl. Accessories)</b>
Cell Efficiency:	<b>19.5%</b>
Maximum Power (Pm):	<b>125W*</b>
Current at Max. Power (Imp):	<b>6.82A</b>
Voltage at Max. Power (Vmp):	<b>17.6V</b>

Unfolded (mm):	<b>(H) - (W) 395 (L) 2140</b>
Output Connection:	<b>30A Anderson Style</b>
Cell encapsulation:	<b>PET Lamination Polyester</b>
Bag Material:	<b>900D</b>
Cell Type:	<b>Monocrystalline</b>
Part No.:	<b>COMPBI023</b>

## SP-200

200W  
SOLAR PANEL

The SnoMaster® 200W Solar Panel Kit contains everything you need to harness the power of the sun and recharge your batteries. Complete with a high-tech regulator, cables and carry bag, this lightweight and compact solar kit will keep the camp lights on and the beers frosty.

**FEATURES:** Multi-Use Controller | Polyester Carry Case



Folded (mm):	<b>(H) 150 (W) 420 (L) 380</b>
Net Weight:	<b>9.1Kg (Incl. Accessories)</b>
Cell Efficiency:	<b>19.5%</b>
Maximum Power (Pm):	<b>200W</b>
Current at Max. Power (Imp):	<b>11.37A</b>
Voltage at Max. Power (Vmp):	<b>17.6V</b>

Unfolded (mm):	<b>(H) - (W) 815 (L) 1870</b>
Output Connection:	<b>50A Anderson Style</b>
Cell encapsulation:	<b>PET Lamination Polyester</b>
Bag Material:	<b>900D</b>
Cell Type:	<b>Monocrystalline</b>
Part No.:	<b>SP-200</b>

# WARRANTY INFORMATION



---

SnoMaster warrants to the 'end-user' that their products are free from defects in material workmanship, for the period prescribed below, commencing from the date of purchase.

SnoMaster will repair or replace a product that develops a fault within the prescribed period of time, as set out below. This period will commence from the date the 'end-user' purchases the product.

**12 Volt Units:**

**7-Year Warranty on the compressor**

**3-Year warranty on the unit**

**1-Year warranty on all remaining parts not listed**

The warranty is only valid upon presentation of the proof of purchase consisting of the original invoice or sales slip indicating the date of purchase, accredited dealer/retailers name, model and serial number of the product.