

Series 2, Wall-mounted Extractor Hood, 60 cm, Stainless steel DWB66BC51Z



Box-design hood: performance and matching kitchen design bundled in one hood.

- **Grease filtration level:** filters out over 85% of the grease from kitchen air
- **LED-illumination:** The energy-saving lighting provides bright and clear lighting for the hob area.
- **Extraction rate:** at MAX_FOERDERLEISTUNG m³/h, it quickly ensures optimal kitchen air quality.
- **Metal grease filters:** filter grease and other solid particles out of the extracted air
- Pi shaped double metal filter

Technical data

Typology : Wall-mounted
 Length electrical supply cord : 130 cm
 Height of the chimney : 583-912/583-1022 mm
 Height of product, without chimney : 53 mm
 Net weight : 12.1 kg
 Type of control : mechanical
 Number of speed settings : 3
 Maximum output air extraction : 621 m³/h
 Maximum output recirculating air : 422 m³/h
 Number of lights : 2
 Noise level : 69 dB(A) re 1 pW
 Diameter of air outlet : 150 / 120 mm
 Grease filter material : Washable stainless steel
 Odour filter : No
 Operating Mode : Convertible
 Optional accessories : DWZ0XX0J0, DWZ1DX1B4, DWZ1DX1I4, DWZ1DX1I6, DWZ1FX5C6, DWZ1FX5D1, DZZ0XX0P0, DZZ1XX1B6, DHZ1225, DHZ1235, DHZ6550, DHZ6551, DWZ0DX0A0, DWZ0DX0U0
 Type of lamps used : LED
 Grease filter type : Kasette
 Connection Rating : 220 W
 Fuse protection : 10 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Plug type : South Africa plug
 Installation typology : Wall-mounted
 Material body : Stainless steel
 Plug type : South Africa plug
 Dimensions of the product, with chimney (if exists) (in) : / x x
 Dimensions of the packed product : 19.29 x 25.59 x 28.34
 Net weight : 27.000 lbs
 Gross weight : 37.000 lbs
 Motor location : Integrated motor in hood chimney
 No-return airflow flap : Yes
 Length electrical supply cord : 130 cm
 Dimensions of the product, with chimney (if exists) : 635-1075 MM x 600.0 x 500.0 mm
 Dimensions of the packed product (HxWxD) : 490 x 650 x 720 mm
 Net weight : 12.1 kg
 Gross weight : 16.7 kg

Series 2, Wall-mounted Extractor Hood, 60 cm, Stainless steel DWB66BC51Z

Box-design hood: performance and matching kitchen design bundled in one hood.

- Energy Efficiency Class: B*
- Average Energy Consumption: 46.5 kWh/year*
- Blower Efficiency Class: A*
- Lighting Efficiency Class: A*
- Grease Filtering Efficiency Class: B*
- Noise max. Normal Level: 69 dB*

Operating and power:

- Chimney extractor hood
- Brushed steel
- 60 cm Brushed steel Chimney extractor hood with glass canopy
- 60 cm wide
- Suitable for ducted or recirculating operation
- Recirc. kit or clean air kit
- Designed for wall mounted installation
- push buttons for extractor speeds and light
- 3 speed operation via push buttons
- 3 speed operation
- Twin channel high performance fan motor
- 2 x 1,5W LED
- Light Intensity: 99 lux
- Colour Temperature: 3500 K
- Removable metal grease filters, dishwasher safe
- Ducted extraction rate according to DIN/EN 61591max. 621 m³/h
- Maximum extraction 621 m³/h
- Noise level according to EN 60704-3 und EN 60704-2-13 at max. normal use exhaust air: 69 dB(A) re 1 pW (56 dB(A) re 20 µPa sound pressure)
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Yes
- Max. extraction rate: 621 m³/h
- Extraction rate in recirculation mode:
Max. normal use: 358 m³/h
- Noise level in recirculation mode:
Max. normal use: 75 dB(A) re 1 pW (62 dB(A) re 20 µPa sound pressure)
- Dimensions exhaust air (HxWxD): 635-965 x 600 x 500 mm
- Dimensions recirculating (HxWxD): 635-1075 x 600 x 500 mm
- Dimensions recirculating with CleanAir module (HxWxD):
703 x 600 x 500mm - mounting with outer chimney
833-1163 x 600 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with cleanAir module (HxWxD);
703 x 600 x 500mm - mounting with outer chimney
833-1163 x 600 x 500 mm - mounting with telescopic chimney
- Dimensions recirculating with CleanAir module (HxWxD):
703 x 600 x 500mm - mounting with outer chimney
833-1163 x 600 x 500 mm - mounting with telescopic chimney
- Power rating: 220 W
- Electrical cable length 1.3 m

**Series 2, Wall-mounted Extractor Hood, 60 cm, Stainless steel
DWB66BC51Z**

