



Series 4, Wall-mounted Extractor Hood, 90 cm, clear glass black printed DWF95AJ60T





Flat design hood: always keep an eye on your pots and pans with this design highlight.

- TouchControl control at your fingertips.
- **LED-Illumination:** The energy-saving lighting provides bright and clear lighting for the hob area.
- Metal grease filters: filter grease and other solid particles out of the extracted air
- Easy-to-clean interior: hidden screws and cables along with rounded edges make cleaning easy.
- Pi shaped double metal filter

Technical data

Typology: Wall-mounted

Length electrical supply cord : 118 cm
Height of product, without chimney : 420 mm

Net weight : 24.0 kg Type of control : Electronic Number of speed settings : 3

Maximum output air extraction : 649 m³/h Maximum output recirculating air : 350 m³/h

Number of lights: 2

Noise level : 68 dB(A) re 1 pW Diameter of air outlet : 120 / 150 mm Grease filter material : Washable aluminium

Odour filter : No

Operating Mode : Convertible Optional accessories : DWA0KP6A

Type of lamps used: LED Grease filter type: Kassette Connection Rating: 252 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50 Hz

Plug type : Gardy plug w/ earthing Installation typology : Wall-mounted Material body : Glass, Lacquered Plug type : Gardy plug w/ earthing

Dimensions of the product, with chimney (if exists) (in) : / x x Dimensions of the packed product : 21.25 x 29.13 x 40.94

Net weight : 53.000 lbs Gross weight : 69.000 lbs

Motor location: Integrated motor in hood body

No-return airflow flap: No

Length electrical supply $cord:118\ cm$

Dimensions of the product, with chimney (if exists) : 450 x

890.0 x 308.0 mm

Dimensions of the packed product (HxWxD) : 540 x 740 x 1040

mm

Net weight : 24.0 kg Gross weight : 31.5 kg



Series 4, Wall-mounted Extractor Hood, 90 cm, clear glass black printed DWF95AJ60T

Flat design hood: always keep an eye on your pots and pans with this design highlight.

Variant:

- DWF95AJ60T
- Designed for wall mounted installation

Design:

- black with glass canopy
- touch control with Electronic display
- Removable metal grease filters, dishwasher safe

Operating and power:

- 3 speed operation
- Ducted extraction rate according to DIN/EN 61591max. 649 $\rm m^3/h$
- Suitable for ducted or recirculating operation
- Recirculating kit

Comfort:


- Noise max. Normal Level: 68 dB*
- Light Intensity: 100 lux
- Colour Temperature: 4000 K

Measures:


- **-** 89 cm wide
- Dimensions exhaust air (HxWxD): 850-1190 x 890 x 308 mm
- Dimensions recirculating (HxWxD): 965-1190 x 890 x 308 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)




Series 4, Wall-mounted Extractor Hood, 90 cm, clear glass black printed DWF95AJ60T



A: Exhaust air **B:** Circulated air





A: Electric B: Gas



Online Store