

**Series 4, Freestanding Fridge-freezer  
(Bottom freezer), 186 x 70 cm, Inox-  
look  
KGN46XL30Z**



**Included accessories**

3 x egg tray  
1 x ice cube tray with lid

- **XL size:** provides lots of space for your food.
- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- **LED light:** illuminates the refrigerator evenly without glare, for the life of the appliance.
- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.

**Technical data**

Built-in / Free-standing : Free-standing  
Number of compressors : 1  
Number of independent cooling systems : 2  
Width of the appliance : 700 mm  
Height : 1860 mm  
Depth of the product : 670 mm  
Net weight : 82.7 kg  
Door panel options : Not possible  
Door hinge : Right reversible  
Number of Adjustable Shelves in fridge compartment : 3  
Shelves for Bottles : Yes  
Interior ventilator : No  
Reversible Door Hinge : Yes  
Length electrical supply cord : 240 cm  
Noise level : 40 dB(A) re 1 pW  
Multi-Flow Air Tower : Yes  
Fast cooling switch : Yes  
Fast freezing switch : No  
Temperature Controlled Drawer : No  
Humidity Control Drawer : Yes  
Number of Door Bins - Refrigerator : 3  
Door bin adjustability - Refrigerator : Yes  
Tilt-out door bins in fridge : Yes  
Gallon Storage : Yes  
Number of Gallon storage : 1  
Motorized Shelf : No  
Material of the shelves : Safety glass  
Door opened indicator freezer : No  
Automatic motor-driven ice-maker : No  
Connection Rating : 100 W  
Fuse protection : 10 A  
Voltage : 220-240 V  
Frequency : 50 Hz  
Storage Period in Event of Power Failure (h) : 20 h  
Door panel options : Not possible  
Noise level : 40 dB(A) re 1 pW  
Energy efficiency rating : A++  
Energy consumption annual - NEW (2010/30/EC) : 288.00 kWh/annum  
Refrigerator Net capacity - NEW (2010/30/EC) : 280 l  
Freezer Net capacity - NEW (2010/30/EC) : 105 l  
Freezing capacity) - NEW (2010/30/EC) : 15 kg/24h  
Energy Star Qualified : No  
Plug type : South Africa plug  
Required cutout/niche size for installation (in) : x x  
Dimensions of the packed product : 75.78 x 29.92 x 30.11  
Net weight : 182.000 lbs  
Gross weight : 196.000 lbs

## **Series 4, Freestanding Fridge-freezer (Bottom freezer), 186 x 70 cm, Inox-look KGN46XL30Z**

### **Consumption**

- Energy efficiency class: A++
- Energy efficiency class: A++ (288 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 385 litres
- Noise level dB(A) re 1 pW: 40

### **Design**

- Doors Stainless steel look doors, side panels Pearl grey (VZF 07127)
- vertical door handle
- LED with Soft Start in fridge section

### **Comfort and Safety**

- Frost free - never again defrosting
- Twin in-door LED electronic control
- Supercool function
- Superfreeze Function
- Optical and acoustic warning system

### **Fridge Section**

- Net capacity refrigeration zone: 280 l
- Multi Airflow-System
- Air Fresh Filter

### **Freshness System**

### **Freezer Section**

- Net freezer capacity 105 litres
- Freezing capacity: 15 kg in 24 hours
- Storage time in power failure: 20 Hours

### **APPLIANCE DIMENSION**

- Dimensions: H 186 cm x L 70 cm x D 67 cm

### **TECHNICAL INFORMATION**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Climate Class SN-T
- Connected load 100 W
- Rated Voltage 220 - 240 V

### **Standard Accessories**

- 3 x egg tray, 1 x ice cube tray with lid

### **Country Specific Options**


- Gross capacity, total: 415 l
- Gross capacity cooling 287 l
- \*\*\*\* freezer 128 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

### **ENVIREMENT AND SAFETY**

### **INSTALLATION**

### **General Information**

## Series 4, Freestanding Fridge-freezer (Bottom freezer), 186 x 70 cm, Inox-look KGN46XL30Z



| Appliance name        | a    | b   | c   | d   | e   | f    | g   | h  |
|-----------------------|------|-----|-----|-----|-----|------|-----|----|
| KGN 46 (Outer handle) | 1860 | 700 | 670 | 590 | 740 | 1310 | 710 | 12 |
| KGN 46 (Inner handle) | 1860 | 700 | 670 | 590 | 710 | 1310 | 670 | 12 |
| KGN 49 (Outer handle) | 2030 | 700 | 670 | 590 | 740 | 1310 | 710 | 12 |
| KGN 49 (Inner handle) | 2030 | 700 | 670 | 590 | 710 | 1310 | 670 | 12 |

| Description |                                                     |
|-------------|-----------------------------------------------------|
| a           | Height                                              |
| b           | Width                                               |
| c           | Depth with door closed, without handle              |
| d           | Compart depth                                       |
| e           | Width with door opened to 90°                       |
| f           | Depth with door opened, without handle              |
| g           | Depth with door closed, with handle                 |
| h           | As gap for installation in recess or fitted cabinet |

measurements in mm