


iQ300, Domino Electric hob, 30 cm, Black, surface mount with frame ET375FFP1E



The modern Domino glass ceramic cooktop for more cooking pleasure and less cleaning effort.

- ✓ The 30 cm wide cooktop is ideal for combining with other Domino or faceted design cooktops.
- ✓ touchSlider control allows to control the temperature by entering it directly or by moving the slider with a single finger.
- ✓ The timer with switch-off function safely shuts off the cooking zone when the selected cooking time expires.

Features

Technical data

Product name/family : Vario/Domino cooking zone cera
 Built-in / Free-standing : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 2
 Min. required niche size for installation (HxWxD) : 38 x x mm
 Width of the appliance : 302 mm
 Dimensions : 38 x 302 x 520 mm
 Dimensions of the packed product (HxWxD) : 120 x 375 x 590 mm
 Net weight : 4.8 kg
 Gross weight : 5.5 kg
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Alu, brushed, Black
 Connection Rating : 3500 W
 Fuse protection : 16 A
 Voltage : 220-240 V
 Frequency : 60; 50 Hz

Optional accessories

HZ394301 Connecting strip

iQ300, Domino Electric hob, 30 cm, Black, surface mount with frame ET375FFP1E

Features

Design:

- Design trim (front facette with side trim)
- Can be combined with all hobs in comfort design
- HighSpeed ceramic glass

Comfort and Safety:

- 2 quick-lite cooking zones, including:
 - 1 dual zone
- 17 power levels
- Electronic power level display
- Timer for all zones
- Buzzer
- count-up timer, per cooktop
- Freeze function
- Restart function

Environment+safety:

- Main switch
- Power on indicator
- Two stage residual heat indicators
- Individual tunable energy consumption display

Quickness:

- PowerBoost function


Measurements

- Min. worktop thickness: 16 mm

iQ300, Domino Electric hob, 30 cm, Black, surface mount with frame ET375FFP1E

Dimensioned drawings


measurements in mm
Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).


Cutout dimension (X) depending on the combination see table:

measurements in mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc.).


measurements in mm



When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required.


measurements in mm

Assembly kit (HZ394301) for Domino



B: Dependent on the cut-out depth

measurements in mm



When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.


measurements in mm
Domino combination options with corresponding appliance and cut-out dimensions

Width category: Appliance width:	30 40 60 70 80 90									
	302	392	602	710	812	912				
	A	B	C	D	L	X				
2x30	302	302	-	-	604	572				
1x30, 1x40	302	392	-	-	694	662				
1x30, 1x60	302	602	-	-	904	872				
1x30, 1x70*	302	710	-	-	1012	980				
1x30, 1x80	302	812	-	-	1114	1082				
1x30, 1x90	302	912	-	-	1214	1182				
2x40	392	392	-	-	784	752				
1x40, 1x60	392	602	-	-	994	962				
1x40, 1x70*	392	710	-	-	1102	1070				
1x40, 1x80	392	812	-	-	1204	1172				
1x40, 1x90	392	912	-	-	1304	1272				
3x30	302	302	302	-	906	874				
2x30, 1x40	302	302	392	-	996	964				
2x30, 1x60	302	302	602	-	1206	1174				
2x30, 1x70*	302	302	710	-	1314	1282				
2x30, 1x80	302	302	812	-	1416	1384				
2x30, 1x90	302	302	912	-	1516	1484				
1x30, 2x40	302	392	392	-	1086	1054				
1x30, 1x40, 1x60	302	392	602	-	1296	1264				
1x30, 1x40, 1x70*	302	392	710	-	1404	1372				
1x30, 1x40, 1x80	302	392	812	-	1506	1474				
1x30, 1x40, 1x90	302	392	912	-	1606	1574				
3x40	392	392	392	-	1176	1144				
2x40, 1x80	392	392	602	-	1386	1354				
4x30	302	302	302	302	1208	1176				
3x30, 1x40	302	302	302	392	1298	1266				
2x30, 2x40	302	302	392	392	1388	1356				
1x30, 3x40	302	392	392	392	1478	1446				
1x30, 1x75	302	750	-	-	1052	1016				
1x40, 1x75	392	750	-	-	1142	1106				
2x30, 1x75	302	302	750	-	1354	1318				
1x30, 1x40, 1x75	302	392	750	-	1444	1408				

* Not possible with 70 cm induction hob

**iQ300, Domino Electric hob, 30 cm,
Black, surface mount with frame
ET375FFP1E**

Dimensioned drawings



- A:** Minimum distance from the hob cut-out to the wall.
B: Recessed depth
C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.