

**Series 4, French Door Bottom
freezer, multi door, 183 x 90.5 cm,
Brushed steel anti-fingerprint
KFN96VPEA**



**The No Frost French Door bottom freezer
with VitaFresh XXL <0°C>: keeps your
foods fresh and vitamin-rich for longer.**

- **VitaFresh XXL <0°C>**: keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- **XXL capacity**: extra space for your food when you need it.
- **LED lighting**: keep your groceries in perfect view.
- **Big Box drawer**: for stacking storage containers or for large frozen food items.
- **Super Cooling function**: cools new food placed inside faster, thus protecting already cooled food.

Energy Efficiency Class (Regulation (EU) 2017/1369): E
 Average annual energy consumption in kilowatt hour per year
 (kWh/a) (EU) 2017/1369: 333 kWh/annum
 Sum of volume of frozen compartments (EU 2017/1369): 200 l
 Sum of volume of chill compartments: 405 l
 Airborne acoustical noise emissions : 38 dB(A) re 1pW
 Airborne acoustical noise emission class (EU 2017/1369): C
 Built-in / Free-standing: Free-standing
 Number of compressors: 1
 Number of independent cooling systems: 1
 Width of the appliance: 905 mm
 Height: 1830 mm
 Depth: 731 mm
 Net weight: 117.3 kg
 Door panel options: Not possible
 Door hinge: left and right
 Number of Adjustable Shelves in fridge compartment: 2
 Shelves for Bottles: No
 Frost free system: Freezer
 Interior ventilator: Yes
 Reversible Door Hinge: No
 Length electrical supply cord: 240.0 cm
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50-60 Hz
 Storage Period in Event of Power Failure (h): 15 h

Series 4, French Door Bottom freezer, multi door, 183 x 90.5 cm, Brushed steel anti-fingerprint KFN96VPEA

The No Frost French Door bottom freezer with VitaFresh XXL <0°C>: keeps your foods fresh and vitamin-rich for longer.

Consumption

- Total Volume : 605 l
- Net Fridge Volume : 405 l
- Net Freezer Volume : 200 l
- Freezing capacity 24h : 13 kg
- Annual Energy Consumption: 333 kWh/a
- Climate Class: SN-T
- yes
- Noise Level : 38 dB
- Temperature rise time : 15 H

Design

- Doors inox EasyClean, side panels Steel Look
- Standard door
- Internal LED lights in fridge section
- Interior with metal applications

Comfort and Safety

- Electronic Controls
- Supercool function
- Frost free - never again defrosting
- Auto defrost
- acoustic for Fridge and Freeze, Optical warning system
- Acoustic warning system, Optical warning system

Fridge Section

- Multi Airflow-System
- 3 safety glass shelves of which 2 are height adjustable.
- 2 door shelf large, 2 door shelf small
- none/0
- Dairy compartment

Freshness System

Freezer Section

- 6 transparent freezer drawers
- Ice cube tray
- none in freezer section

APPLIANCE DIMENSION

- Dimensions: H 183 cm x L 90.5 cm x D 73.1 cm

TECHNICAL INFORMATION

- 4 wheels for easier transport, 3 of them height adjustable.
- Rated Voltage 220 - 240 V

Standard Accessories

- 3 x egg tray, 1 x ice cube tray

Country Specific Options


- Based on the results of the standard 25-hour test. Actual

consumption depends on usage/position of the appliance.

- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.
- Net 4* compartment volume : 200 l
- 3 safety glass shelves (2 height adjustable)
- Acoustic Warning System
- 2 door trays
- Internal LED lights


**Series 4, French Door Bottom
freezer, multi door, 183 x 90.5 cm,
Brushed steel anti-fingerprint
KFN96VPEA**

Measurements in mm



A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended


Measurements in mm




A: Front is adjustable 1830–1847 mm, with front levelling feet fully extended

B: Add 25 mm for fixed spacers on back

Measurements in mm



Measurements in mm



A	a	b
≤ 600	0	0
600 < A ≤ 650	45	45
650 < A ≤ 700	60	60
> 700	239	239

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled and taken out with door open to 90°