iQ700, Built-in Oven, 60 x 60 cm, Black HB736G1B1











1 x enamel baking tray, 1 x combination grid, 1 x universal pan

HZ327000 Baking stone, HZ32WA00 Wireless food thermometer, HZ530000 2 multipurpose pans, slim size, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ538000 varioClip rail, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan with grid, enamelled, HZ633073 Professional pan, enamelled, HZ634000 Baking and roasting grid (standard), HZ635000 AirFry & Grill Set, HZ636000 Glass pan, HZ638000 Full ext rails, level independent, HZ664000 Baking and roasting grid (steam), HZ66X650 Cover Strip, HZ915003 Glass roasting dish, 5,4 L, HZG0AS00 Connecting cable 3m

- ✓ 4D hotAir: flexible choice of shelf.
- ✓ cookControl Plus Pre-installed settings for excellent results.
- ✓ fastPreheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ World of recipes Discover delicious inspiration matching your
- ✓ humidClean Plus For fast cleaning dirt is softened beforehand by vaporizing soapy water. It can then be removed more easily.

Design:	
Hydrolytic Required niche size for installation (HxWxD):585-595 x 560-568 x 550 mm	
Dimensions:	
Control Panel Material: Glass Door Material: Glass Net weight: 34.0 kg	
Usable volume of cavity:	
grill, Conventional heat, Conventional heat gentle, Pizza setting, low temperature cooking, Deep-frozen food special, Bottom heat, Hot air grilling, pre-heating, warming	
Oven control: electronic Number of interior lights:	
Length electrical supply cord:	
Energy efficiency:	
Energy consumption per cycle forced air convection (2010/30/EC): 0.69 kWh/cycle	
Energy efficiency index (2010/30/EC): 81.2 % Connection rating: 3600 W	
Fuse protection:	
Plug type:	



iQ700, Built-in Oven, 60 x 60 cm, Black HB736G1B1

Type of oven / heating system:

- Oven with 13 heating methods: 4D hot air, Conventional cooking, hot air grilling, Full width grill, Half width grill, Intensive hot air, Deep-frozen food special, Bottom heat, low temperature cooking, Plate warming setting, Hold warm setting, Hotair gentle, Conventional heat gentle
- Temperature range 30 °C 300 °C
- Cavity volume: 71 l

Hook-in racks / rails

- Number of shelf levels: 5 PC
- Accessory

Design:

- Touch control
- Cavity inner surface: enamel anthracite

Cleaning:

- Ecolyse features: back panel
- hydrolyse program

Comfort:

- Oven Assistant with Voice Control
- LED clock and automatic programmer
- Temperature proposal
- Actual temperature display Heating-up control
- Drop down door, soft closing, soft opening
- Supporting systems: Dish categories
- Rapid heating-up
- coolStart
- LED light, Independent oven interior light button
- Integral cooling fan
- WLAN

Accessory

• 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

Comfort and Safety:

- \bullet Maximum window temperature 40° C
- Triple glazed door with heat reflective glass CoolTouch door
- Child safety button
- Automatic safety switch off residual heat indicator start button door contact switch


Technical Info:


- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode:0.87 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l


Dimensions:

- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 560 mm 568 mm x 585 mm 595 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

iQ700, Built-in Oven, 60 x 60 cm, Black HB736G1B1







If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



