

iQ300, Built-in Fridge, 82 x 59.8 cm, flat hinge
KU21RVFE0



KF10ZAX0	Door panel with decor frame
KU20ZSX0	Attachment door, stainless steel

Built-under fridge: loads of space and easy access, with Door Alarm for worry-free storage where space is limited.

- ✓ Intelligent Inverter Compressor provides better temperature control and efficient performance.
- ✓ superCooling: Fast cooling for your fresh food.
- ✓ storagePlus – Extra storage space in the base area of the fridge.
- ✓ Made in Germany – A promise of top quality, state-of-the-art design and innovative features.
- ✓ Extra strong and easy-cleaning safety glass - safetyGlass shelves.

Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	93 kWh/annum
Sum of volume of frozen compartments (EU 2017/1369):	0 l
Sum of volume of chill compartments:	134 l
Airborne acoustical noise emissions :	35 dB(A) re 1pW
Airborne acoustical noise emission class (EU 2017/1369):	B
Design:	Built-in
Number of compressors:	1
Number of independent cooling systems:	1
Width of the appliance:	598 mm
Height:	820 mm
Depth:	548 mm
Net weight:	28.5 kg
Required niche size for installation (HxWxD):	... 820 x 600 x 550 mm
Door panel options:	Not possible
Door opening:	Right reversible
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	No
Frost free system:	Not applicable
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	230.0 cm
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz

iQ300, Built-in Fridge, 82 x 59.8 cm, flat hinge KU21RVFE0

Consumption

- Total Volume : 134 l
- Annual Energy Consumption: 93 kWh/a
- Climate Class: SN-T
- Noise Level : 35 dB

Design

- LED with Soft Start

Comfort and Safety

- LED electronic control
- Optical and acoustic door open warning system
- Holiday mode
- Economy setting
- Home Connect: Remote Monitoring and Control
- Super cool function
- Automatic defrost
- Easy clean interior

Fridge Section

- Net Fridge Volume : 134 l
- 3 safety glass shelves
- 2 door bins
- Bottle holder in x-deep door tray
- Bottom comp. with sliding lid: separated storage area e.g. for bottles

Freshness System

TECHNICAL INFORMATION

- Door right hinged, reversible
- built under, fully integrated
- Ventilation in plinth, no cut-out in the worksurface necessary
- Length of power cord: 230 cm
- Rated Voltage 220 - 240 V

APPLIANCE DIMENSION

- Niche Dimension H X W x D: 82 cm x 60 cm x 55 cm
- Dimensions: H 82 cm x L 59.8 cm x D 54.8 cm

Standard Accessories


Country Specific Options

- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

General Information

iQ300, Built-in Fridge, 82 x 59.8
cm, flat hinge
KU21RVFE0


measurements in mm
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.


Measurements in mm




A: Substructure height
B: ≥ 560 mm (recommended)

Space for electrical connection next to the appliance on the left or right side

Measurements in mm




Measurements in mm



A: Air inlet ≥ 200 cm²

Maximal permissible weight of the unit fronts



Fitted unit fronts that exceed the permissible weight may cause damage and result in functional impairment of the hinges

A: Weight ≤ 12 kg